

Inverter generator series P4300ie



Cummins Onan

Performance you rely on.™



Features and benefits

- 3800 watts running, 4300 watts peak
- 5.3 hour continuous operating time (at rated load)
- Electric start (recoil back-up)
- 9 HP, 4-stroke overhead camshaft engine
- Large 3.4 gallon fuel tank
- 120 V 20 A GFCI protected duplex, 120 V 20 A twist lock receptacles, 12 V DC charging
- Multi-meter w/LED display - voltmeter, hour meter, frequency and overload condition
- Auto-power system idle control
- 4 wheels standard
- 2 year limited warranty
- Meets EPA, CSA standards

Weight, size and sound level

Weight: 163 lbs (73.9 kg)

Size: Length 23 in (584.2 mm), width 21 in (533.4 mm), height 24 in (609.6 mm)

Sound: Readings at 7 m: 62 dB(A)

Models and ratings

AC rated output	3.8 kW/3800 W	DC voltage	12 V
AC max output	4.3 kW/4300 W	Engine horsepower	9
AC Voltage	120 V	Fuel tank capacity	3.4 Gal/12.9 L
AC frequency	60 Hz		
120 V AC rated amperage - Rated/max	31.7 A/35.8 A		

Ratings apply to altitudes up to 1000 ft (304.8 m), 85 °F (30 °C). Total power available will decrease 3.5% for each 1000 ft (304.8 m) above 1000 ft and 2.0% for each 10 °F (5.5 °C) increase in ambient temperature above 85 °F (30 °C).

Warranty

The Cummins Onan P4300ie inverter generator comes with a standard 2 year limited warranty.



After sale support

Genuine Cummins Onan maintenance care parts and products:

For your ongoing satisfaction and the dependability of your Cummins Onan portable generator set, Cummins Power Generation offers a complete line of parts available at your nearby Cummins Onan dealer.

Easy to locate certified Cummins Onan service and parts dealers:

Cummins Power Generation has trained, tested and certified over 1000 authorized Cummins Onan Service Dealers covering most major metropolitan areas in the U.S. and Canada. To easily locate the certified Cummins Onan Service Dealer no matter where you travel, call 1-800-344-0039: 24/7 Customer Service, or visit www.cumminsonan.com or look in the yellow pages under "generator sets, electric". See your distributor for more information.

Contact your distributor/dealer for more information.

Cummins Onan

Cummins Power Generation
1400 73rd Ave. NE
Minneapolis, MN 55432 USA
Phone 1 763 574 5000
Toll-free 1 800 344 0039 24/7 CUST SVC.
Fax 1 763 574 5298
Email www.cumminsonan.com/contact
www.cumminsonan.com

Cummins®, Onan®, the "C" logo and Performance you rely on.™ are servicemarks, trademarks and/or registered trademarks of Cummins Inc. Specifications subject to change without notice. ©2008 Cummins Power Generation. All Rights Reserved.
A-1505a (9/08) (formerly F-1670)



PX4800e → Electric Start Model



Product Features:

- 6-hour continuous operating time at rated load
- Idle control system enables you to save fuel and money
- 120V GFCI-protected duplex for security
- 9-hp, 4-stroke overhead valve engine for a powerful unit
- Hour meter tracks operating time
- Full-power switch for easy access and use
- Meets EPA and CARB standards
- Sound readings at 72 dBA/7M
- Dimensions: 32"l x 21"w x 22"h
- Weight: 172 lb.
- Warranty: 2 years limited

Commercial generator series PX6100 & PX6100e



Cummins Onan

Performance you rely on.™



Features and benefits

- 4800 watts running, 5800 watts peak
- 7 hour continuous operating time (at rated load)
- Manual start (*optional electric start)
- 11 HP, 4-stroke overhead valve engine
- Large 5.7 gallon fuel tank
- 120 V 20 A GFCI protected duplex, 120 V 30 A twist lock, 120/240 V 20 A twist-lock receptacles, 12 V DC charging
- Volt meter
- Idle control system
- Full power switch
- Automatic low oil shutdown
- 2 year limited warranty
- Meets EPA, CSA standards

Weight, size and sound level

- Weight: PX6100 - 172 lb (78 kg)
PX6100e - 180 lb (81.6 kg)
- Size: Length 27 in (685.8 mm), width 19 in (482.6 mm), height 25 in (635 mm)
- Sound: Readings at 7 m: 75 dB(A)

Models and ratings

AC rated output	4.8 kW/4800 W	DC voltage	12 V
AC max output	5.8 kW/5800 W	Engine horsepower	11
AC Voltage	120 V/240 V	Fuel tank capacity	5.7 Gal/21.6 L
AC frequency	60 Hz		
120 V AC rated amperage - Rated/max	40 A/48.3 A		
240 V AC rated amperage - Rated/max	20 A/24.2 A		

Ratings apply to altitudes up to 1000 ft (304.8 m), 85 °F (30 °C). Total power available will decrease 3.5% for each 1000 ft (304.8 m) above 1000 ft and 2.0% for each 10 °F (5.5 °C) increase in ambient temperature above 85 °F (30 °C).

Options and accessories

Cummins Onan wheel kit (P/N 0541-1430).

Warranty

The Cummins Onan PX6100 commercial generator comes with a standard 2 year limited warranty.



After sale support

Genuine Cummins Onan maintenance care parts and products:

For your ongoing satisfaction and the dependability of your Cummins Onan portable generator set, Cummins Power Generation offers a complete line of parts available at your nearby Cummins Onan dealer.

Easy to locate certified Cummins Onan service and parts dealers:

Cummins Power Generation has trained, tested and certified over 1000 authorized Cummins Onan Service Dealers covering most major metropolitan areas in the U.S. and Canada. To easily locate the certified Cummins Onan Service Dealer no matter where you travel, call 1-800-344-0039: 24/7 Customer Service, or visit www.cumminsonan.com or look in the yellow pages under "generator sets, electric". See your distributor for more information.

Contact your distributor/dealer for more information.

Cummins Onan

Cummins Power Generation
1400 73rd Ave. NE
Minneapolis, MN 55432 USA
Phone 1 763 574 5000
Toll-free 1 800 344 0039 24/7 CUST SVC.
Fax 1 763 574 5298
Email www.cumminsonan.com/contact
www.cumminsonan.com



Cummins®, Onan®, the "C" logo and Performance you rely on.™ are servicemarks, trademarks and/or registered trademarks of Cummins Inc. Specifications subject to change without notice. ©2008 Cummins Power Generation. All Rights Reserved.
A-1511a (9/08) (formerly F-1672)

Cummins Onan Commerical Generator Model and Price Sheet

600	4.3 EGMBK	P4300i	4300W PORTABLE INVERTER	\$1,795.00
600	4.3 EGMBK	P4300i	4300W PORTABLE INVERTER	\$1,795.00
400	4.3 EGMBK	P4300i	4300W PORTABLE INVERTER	\$1,795.00
300	4.3 EGMBK	P4300i	4300W PORTABLE INVERTER	\$1,795.00
100	4.3 EGMBK	P4300i	4300W PORTABLE INVERTER	\$1,795.00
100	BJ4.3EGMBK	P4300i	Contractor grade portable generator	\$1,795
100	BJ4.8EGMBL	PX4800	Contractor grade portable generator	\$1,025.00
100	BJ4.8EGMBL	PX4800	Contractor grade portable generator	\$1,025.00
100	BJ4.8EGMBL	PX4800	Contractor grade portable generator	\$1,025.00
100	BJ4.8EGMBL	PX4800	Contractor grade portable generator	\$1,025.00
100	BJ4.8EGMBLE	PX4800 elec start	Contractor grade portable generator	\$1,185.00
100	BJ4.8EGMBLE	PX4800 elec start	Contractor grade portable generator	\$1,185.00
100	BJ4.8EGMBLE	PX4800 elec start	Contractor grade portable generator	\$1,185.00
100	BJ4.8EGMBLE	PX4800 elec start	Contractor grade portable generator	\$1,185.00
100	BJ6.1EGMBM	PX6100	Contractor grade portable generator	\$1,350.00
100	BJ6.1EGMBM	PX6100	Contractor grade portable generator	\$1,350.00
100	BJ6.1EGMBM	PX6100	Contractor grade portable generator	\$1,350.00
100	BJ6.1EGMBM	PX6100	Contractor grade portable generator	\$1,350.00

